CANADIAN JOURNAL OF CIVIL ENGINEERING

REVUE CANADIENNE DE GENIE CIVIL

VOLUME 7, 1980

Author Index / Index des auteurs

Adams, P.F. Design for structural stability: Book Review, 210.
Adams, P.F., see Beaulieu, D., 105.
Adams, P.F., see Kennedy, J.S., 614.
Agrawal, A.B., Jaeger, L.G., and Mufti, A.A. Elastoplastic material model for nonlinear analysis of planar RC structures under cyclic loadings, 294.
Anderson, K.G., see Masterson, D.M., 565.
Anis, A.H., Burnett, E.F.P., and McNeice, G.M. Finite element modelling of jointed structures, 540.
Antonio, M.E., see Lipson, S.L., 315.
Bakht, B. Rigidities of concrete waffle-type slab structures: Discussion, 198.
Bali, S.K., see Kennedy, J.B., 201.
Bardell, G.R., and Kulak, G.L. Fatigue behavior of steel beams with fillet-welded attachments, 325.
Beaulieu, D., and Adams, P.F. Significance of structural out-of-plumb forces and recommendations for design, 105.
Birkemoe, P.C., see Bjorhovde, R., 207.
Bjorhovde, R., and Birkemoe, P.C. Limit states design of HSS columns: Reply, 207.
Blench, T., see Peterson, A.W., 93.
Blench, T., see Peterson, A.W., 406.
Booth, R.L., and Taylor, D.A. Design of light industrial buildings: Discussion, 660.
Bray, D.I. Evaluation of effective boundary roughness for gravel-bed rivers, 392.
Brown, G.J., see Lin, K.C., 373.
Burnett, E.F.P., see Anis, A.H., 540.
Campbell, T.I., and Siu, W.H. Computation of natural frequencies of skewed slabs using equivalent rectangular slab concept, 384.
Chidiac, M.A., see Korol, R.M., 523.
Chisholm, P.S., see Smethurst, G., 571.
Cousins, J.R., see Gupta, S., 78.
Cuthbert, D.R., see James, W., 133.
Davenport, A.G., see Harman, D.J., 569.
Degenkolb, H.J. Practical design (aseismic) of steel structures: Reply, 204.
Disher, J.W., see James, W., 36.
Dumonteil, P. Limit states design of HSS columns: Discussion, 205.
Dumonteil, P. Effective width of stiffened cold-formed steel plates: Discussion, 570.
Dumonteil, P. On the role of uncertainty in the limit states design of steel structures, 588.
El-Fitiany, F.A., see Ruus, E., 243.
Ellis, J.S. Prestressed latticed beam–columns with offset diagonals, 573.
El-Shimi, M., White, R., and Fazio, P. Influence of façade geometry on weathering, 597.
Engel, P., see Lau, Y.L., 397.
Ettehadieh A, .A., see Shrivastava, S.C., 114.
Falkner, H.A. Crack control for reinforced and prestressed concrete structures, 466.
Fazio, P., see El-Shimi, M., 597.
Frederking, R.M.W. Ice action on Nanisivik wharf, Strathcona Sound, N.W.T., winter 1978–1979, 558.
Gad Aly, M., see Kennedy, D.J.L., 45.
Ganczarczyk, J., see Hamoda, M.F., 456.
Gerard, R., see Montgomery, C.J., 345.
Ghali, A. Circular storage tanks and silos: Reviewed by J. Schwaighofer, 667.
Gilmor, M.I. Factored resistance of welded connections subject to shear and moment: Discussion, 657.
Goel, S.C., see Jain, A.K., 203.
Gold, L.W. Strain measurements in floating ice platforms and their application to platform design: Discussion, 564.

Gordon, H.A., see Pekau, O.A., 282.
Gupta, S., McBean, E.A., and Cousins, J.R. Mathematical efficiency concerns in water distribution network considerations, 78.
Hamoda, M.F., and Ganczarczyk, J. Control of aerobic digestion by substrate concentration, 456.
Harman, D.J., and Davenport, A.G. A statistical approach to traffic loading on highway bridges: Reply, 569.
Harris, P.J., see Shrivastava, S.C., 114.
Hatzinikolas, M., Longworth, J., and Warwaruk, J. Evaluation of tensile bond and shear bond of masonry by means of centrifugal force, 192.
Haydl, H.M., see Sherbourne, A.N., 19.
Haydl, H.M., see Sherbourne, A.N., 125.
Haydl, H.M., see Sherbourne, A.N., 666.
Heinke, G.W., and Prasad, D. Anaerobic treatment of human waste in northern communities, 156.
Hennessy, R.R., see James, W., 36.
Hennessy, R.R., see James, W., 668.
Henry, J.G. Recent developments in water pollution control, 264.
Jaeger, L.G., see Agrawal, A.B., 294.
Jain, A.K., and Goel, S.C. Practical design (aseismic) of steel structures: Discussion, 203.
James, W., and Cuthbert, D.R. Resonator studies for Kincardine Harbour, Lake Huron, 133.
James, W., and Hennessy, R.R. Erratum: Power spectral analysis of a forcemain failure caused by waterhammer, 668.
James, W., Hennessy, R.R., and Disher, J.W. Power spectral analysis of a forcemain failure caused by waterhammer, 36.
Kao, K.-H. Improved implicit procedure for multichannel surge computations, 502.
Kelly, D.M., Underwood, J.K., and Thirumurthi, D. Impact of construction of a hydroelectric project on the water quality of five lakes in Nova Scotia, 173.
Kelly, H.G. A design proposal for timber pile supported sewers, 629.
Kennedy, D.J.L. Study welding at low temperatures, 442.
Kennedy, D.J.L., and Gad Aly, M. Limit states design of steel structures—performance factors, 45.
Kennedy, J.B., and Bali, S.K. Rigidities of concrete waffle-type slab structures: Reply, 201.
Kennedy, J.S., Wilson, D.J., Adams, P.F., and Perlynn, M. Effect of guy cable constraint on structural damping of open lattice antenna towers, 614.
Khalil, S.M., see Ward, M.A., 256.
Korol, R.M., and Chidiac, M.A. K-joints of double-chord square hollow sections, 523.
Korol, T., see Skarborn, S., 225.
Kulak, G.L., see Bardell, G.R., 325.
Langan, B.W., see Ward, M.A., 256.
Lau, Y.L., and Engel, P. Control of oil slicks in flowing water using air bubble barriers, 397.
Léger, P., see Picard, A., 144.
Lemaire, F., see Pigeon, M., 407.
Lie, T.T. New facility to determine fire resistance of columns, 551.
Lin, K.C., and Brown, G.J. Treatment of potato-processing waste water by an anaerobic lagoon-filter system, 373.
Lipsett, A.W., see Montgomery, C.J., 345.
Lipsett, A.W., see Montgomery, C.J., 432.
Lipson, S.L., and Antonio, M.E. Single-angle welded–bolted beam connections, 315.
Longworth, J., see Hatzinikolas, M., 192.
Mackay, D. The marine environment and oil facilities: Book Review, 209.
Mahrenholtz, O., Reddy, D.V., and Ramamurti, V. Ultimate load behaviour of internally pressurized "cut-and-cover" type underground nuclear reactor containments, 165.
Martin, W.W., see Weaver, D.S., 304.
Masterson, D.M., Anderson, K.G., and Strandberg, A.G. Strain measurements in floating ice platforms and their application to platform design: Reply, 565.
McBean, E.A., see Gupta, S., 78.
McNeice, G.M., see Anis, A.H., 540.
Montgomery, C.J., Gerard, R., and Lipsett, A.W. Dynamic response of bridge piers to ice forces, 345.
Montgomery, C.J., and Lipsett, A.W. Dynamic tests and analysis of a massive pier subjected to ice forces, 432.
Morris, G.A., see Thiensiripipat, N., 513.
Morris, L.R., see Neill, C.R., 357.
Mufti, A.A., see Agrawal, A.B., 294.
Muzik, I. Analysis of capacity requirements for storage reservoirs: a case study, 388.
Muzik, I. The limitations and usefulness of streamflow generation methods: a case study: Discussion, 661.
Narasimham, S.V., and Van Dalen, K. Elastic behaviour of composite box girder bridges, 492.
Nasser, M.S., Venkataraman, P., and Ramamurthy, A.S. Curvature corrections in open channel flow, 421.
Neill, C.R., and Morris, L.R. Scour problems at railway bridges on the Thompson River, B.C., 357.
Neis, V.V. Factored resistance of welded connections subject to shear and moment, 84.

Neis, V.V. Factored resistance of welded connections subject to shear and moment: Reply, 658.
Ojinaga, J., and Turkstra, C.J. The design of plain masonry walls, 233.
Otani, S. Nonlinear dynamic analysis of reinforced concrete building structures, 333.
Ouellet, Y., et Ropars, Y. Modèle mathématique de la rivière Koksoak, 477.
Patry, G.G. Analyse et dimensionnement des bassins d'équilibre par simulation continué, 621.
Pekau, O.A., and Gordon, H.A. Coupling of torsional–translational response of buildings during earthquakes, 282.
Perlynn, M., see Kennedy, J.S., 614.
Peterson, A.W., and Blench, T. Graphed equilibrium parameters of channels formed in sediment, 93.
Peterson, A.W., and Blench, T. Errata: Graphed equilibrium parameters of channels formed in sediment, 406.
Picard, A., et Léger, P. Assemblages continus pour charpentes préfabriquées en béton armé, 144.
Pigeon, M., et Lemaire, F. Etude des propriétés fondamentales de bétons courants soumis à de longs cycles de gel-dégel, 407.
Pinkney, R.B., see Thiensiripipat, N., 513.
Prasad, D., see Heinke, G.W., 156.
Rainer, J.H. Dynamic tests on a steel-joist concrete-slab floor, 213.
Ramamurthy, A.S., see Nasser, M.S., 421.
Ramamurti, V., see Mahrenholtz, O., 165.
Reddy, D.V., see Mahrenholtz, O., 165.
Redwood, R.G. Practical design (aseismic) of steel structures: Discussion, 202.
Redwood, R.G., and Shrivastava, S.C. Design recommendations for steel beams with web holes, 642.
Redwood, R.G., see Shrivastava, S.C., 114.
Robillard, L., et Vasseur, P. Effet du maximum de densité sur un jet submergé dans une eau en mouvement, 273.
Ropars, Y., see Ouellet, Y., 477.
Ruus, E., and El-Fitiany, F.A. Charts for water hammer in pipelines resulting from valve closure, 243.
Schriever, W.R., see Taylor, D.A., 651.
Schuster, R.M. Carrying capacity of edge-compressed rectangular plates: Discussion, 665.
Schwaighofer, J., see Ghali, A., 667.
Sexsmith, R.G. A statistical approach to traffic loading on highway bridges: Discussion, 568.
Sherbourne, A.N., and Haydl, H.M. Carrying capacity of edge-compressed rectangular plates, 19.
Sherbourne, A.N., and Haydl, H.M. Ultimate web shear capacity in large rectangular ducts, 125.
Sherbourne, A.N., and Haydl, H.M. Carrying capacity of edge-compressed rectangular plates: Reply, 666.
Shrivastava, S.C., Redwood, R.G., Harris, P.J., and Ettehadieh, A.A. End moments in open web steel joists, 114.
Shrivastava, S.C., see Redwood, R.G., 642.
Siu, W.H., see Campbell, T.I., 384.
Skarborn, S., and Korol, T. Ice problems at a cooling water intake in a tidal estuary at Lingan, N.S., 225.
Smethurst, G. Basic water treatment for application world-wide: Reviewed by P.S. Chisholm, 571.
Smith, C.D. Longitudinal bending strength of corrugated steel pipe, 547.
Stolte, W.J. The limitations and usefulness of streamflow generation methods: a case study, 185.
Stolte, W.J. The limitations and usefulness of streamflow generation methods: a case study: Reply, 663.
Strandberg, A.G., see Masterson, D.M., 565.
Tawil, A.H. Clay fills: Book Review, 211.
Taylor, D.A. Roof snow loads in Canada, 1.
Taylor, D.A., see Booth, R.L., 660.
Taylor, D.A., and Schriever, W.R. Unbalanced snow distributions for the design of arch-shaped roofs in Canada, 651.
Thiensiripipat, N., Morris, G.A., and Pinkney, R.B. Statical behavior of cropped-web tubular truss joints, 513.
Thirumurthi, D. Design guidelines for incompletely mixed or aerobic–anaerobic aerated lagoons, 27.
Thirumurthi, D., see Kelly, D.M., 173.
Turkstra, C.J., see Ojinaga, J., 233.
Underwood, J.K., see Kelly, D.M., 173.
Van Dalen, K., see Narasimham, S.V., 492.
Vasseur, P., see Robillard, L., 273.
Venkataraman, P., see Nasser, M.S., 421.
Ward, M.A., Khalil, S.M., and Langan, B.W. Effect of chemical admixtures on the sulfate requirement of cement, 256.
Warwaruk, J., see Hatzinikolas, M., 192.
Weaver, D.S., and Martin, W.W. Hydraulic model study for the design of the Wreck Cove control gates, 304.
White, R., see El-Shimi, M., 597.
Wilson, D.J., see Kennedy, J.S., 614.

Canadian Journal of Civil Engineering

Revue canadienne de génie civil

Volume 7 • 1980

Editor C. H. ATKINSON **Directeur scientifique**

Assistant to the Editor E. PERLINGIERI **Adjointe au directeur scientifique**

Associate Editors/Directeurs scientifiques associés

P. ADAMS	D. HAY	J. METCALFE
A. G. DAVENPORT	G. HEINKE	C. R. NEILL
R. A. DORTON	B. MADSEN	F. R. WILSON
Y.-M. GIROUX	V. M. MALHOTRA	W. WRIGHT

PUBLISHING DEPARTMENT
at the National Research Council of Canada

SERVICE DE PUBLICATION
du Conseil national de recherches du Canada

Editor-in-chief C. T. BISHOP **Directeur général**

Assistant Editor-in-chief P. A. REDHEAD **Directeur général adjoint**

Manager G. H. M. ADAMS **Directrice administrative**

Publishing Supervisor S. E. JENNESS **Préposé de la publication**

Senior Publication Officer F. M. KAVCIC **Agent supérieur à la publication**

Publication Officer S. A. DiLABIO **Agent à la publication**

Published by the
National Research Council
of Canada

Publiée par le
Conseil national de recherches
du Canada

CONTENTS / SOMMAIRE

MARCH/MARS

Editorial Policy/Orientation de la Revue iii

Instructions to authors v

Recommandations aux auteurs vi

ARTICLES:

D. A. Taylor Roof snow loads in Canada 1

A. N. Sherbourne and H. M. Haydl Carrying capacity of edge-compressed rectangular plates 19

D. Thirumurthi Design guidelines for incompletely mixed or aerobic–anaerobic aerated lagoons 27

William James, Robert R. Hennessy, and Jerold W. Disher Power spectral analysis of a forcemain failure caused by waterhammer 36

D. J. L. Kennedy and M. Gad Aly Limit states design of steel structures—performance factors 45

Swapan Gupta, Edward A. McBean, and J. Richard Cousins Mathematical efficiency concerns in water distribution network considerations 78

V. V. Neis Factored resistance of welded connections subject to shear and moment 84

A. W. Peterson and T. Blench Graphed equilibrium parameters of channels formed in sediment 93

Denis Beaulieu and Peter F. Adams Significance of structural out-of-plumb forces and recommendations for design 105

S. C. Shrivastava, R. G. Redwood, P. J. Harris, and A. A. Ettehadieh End moments in open web steel joists 114

A. N. Sherbourne and H. M. Haydl Ultimate web shear capacity in large rectangular ducts 125

W. James and D. R. Cuthbert Resonator studies for Kincardine Harbour, Lake Huron 133

André Picard et Pierre Léger Assemblages continus pour charpentes préfabriquées en béton armé 144

G. W. Heinke and D. Prasad Anaerobic treatment of human waste in northern communities 156

O. Mahrenholtz, D. V. Reddy, and V. Ramamurti Ultimate load behaviour of internally pressurized "cut-and-cover" type underground nuclear reactor containments 165

D. M. Kelly, J. K. Underwood, and D. Thirumurthi Impact of construction of a hydroelectric project on the water quality of five lakes in Nova Scotia 173

W. J. Stolte The limitations and usefulness of streamflow generation methods: a case study 185

NOTE:

M. Hatzinikolas, J. Longworth, and J. Warwaruk Evaluation of tensile bond and shear bond of masonry by means of centrifugal force 192

DISCUSSIONS:

Baidar Bakht Rigidities of concrete waffle-type slab structures: Discussion 198

John B. Kennedy and S. K. Bali Rigidities of concrete waffle-type slab structures: Reply 201

R. G. Redwood Practical design (aseismic) of steel structures: Discussion 202

Ashok K. Jain and Subhash C. Goel Practical design (aseismic) of steel structures: Discussion 203

Henry J. Degenkolb Practical design (aseismic) of steel structures: Reply 204

Pierre Dumonteil Limit states design of HSS columns: Discussion 205

Reidar Bjorhovde and Peter C. Birkemoe Limit states design of HSS columns: Reply 207

BOOK REVIEWS/CRITIQUE DE LIVRE:

D. Mackay The marine environment and oil facilities 209

Peter F. Adams Design for structural stability 210

Anthony H. Tawil Clay fills 211

JUNE/JUIN

ARTICLES:

J. H. Rainer Dynamic tests on a steel-joist concrete-slab floor 213

Stig Skarborn and Ted Korol Ice problems at a cooling water intake in a tidal estuary at Lingan, N.S. 225

Jose Ojinaga and Carl J. Turkstra The design of plain masonry walls 233

Eugen Ruus and Farouk A. El-Fitiany Charts for water hammer in pipelines resulting from valve closure 243

M. A. Ward, S. M. Khalil, and B. W. Langan Effect of chemical admixtures on the sulfate requirement of cement 256

J. Glynn Henry Recent developments in water pollution control 264

L. Robillard et P. Vasseur Effect du maximum de densité sur un jet submergé dans une eau en mouvement 273

O. A. Pekau and Henry A. Gordon Coupling of torsional–translational response of buildings during earthquakes 282

Awadh B. Agrawal, Leslie G. Jaeger, and Aftab A. Mufti Elastoplastic material model for nonlinear analysis of planar RC structures under cyclic loadings 294

D. S. Weaver and W. W. Martin Hydraulic model study for the design of the Wreck Cove control gates 304

Samuel L. Lipson and Manuel E. Antonio Single-angle welded–bolted beam connections 315

G. R. Bardell and G. L. Kulak Fatigue behavior of steel beams with fillet-welded attachments 325

Shunsuke Otani Nonlinear dynamic analysis of reinforced building structures 333

C. James Montgomery, Robert Gerard, and A. William Lipsett Dynamic response of bridge piers to ice forces 345

Charles R. Neill and L. Ralph Morris Scour problems at railway bridges on the Thompson River, B.C. 357

K. C. Lin and G. J. Brown Treatment of potato-processing waste water by an anaerobic lagoon–filter system 373

NOTES:

T. I. Campbell and W. H. Siu Computation of natural frequencies of skewed slabs using equivalent rectangular slab concept 384

Ivan Muzik Analysis of capacity requirements for storage reservoirs: a case study 388

D. I. Bray Evaluation of effective boundary roughness for gravel-bed rivers 392

Y. L. Lau and P. Engel Control of oil slicks in flowing water using air bubble barriers 397

ERRATA:

A. W. Peterson and T. Blench Errata: Graphed equilibrium parameters of channels formed in sediment 406

SEPTEMBER/SEPTEMBRE

ARTICLES:

Michel Pigeon et François Lemaire Etude des propriétés fondamentales de bétons courants soumis à de longs cycles de gel–dégel 407

M. S. Nasser, P. Venkataraman, and A. S. Ramamurthy Curvature corrections in open channel flow 421

C. James Montgomery and A. William Lipsett Dynamic tests and analysis of a massive pier subjected to ice forces 432

D. J. Laurie Kennedy Stud welding at low temperatures 442

M. F. Hamoda and Jerzy Ganczarczyk Control of aerobic digestion by substrate concentration 456

H. A. Falkner Crack control for reinforced and prestressed concrete structures 466

Yvon Ouellet et Yann Ropars Modèle mathématique de la rivière Koksoak 477

Sanivarapu V. Narasimham and Karl Van Dalen Elastic behaviour of composite box girder bridges 492

Kwan-Hong Kao Improved implicit procedure for multichannel surge computations 502

N. Thiensiripipat, G. A. Morris, and R. B. Pinkney Statical behaviour of cropped-web tubular truss joints 513

Robert M. Korol and Magdi A. Chidiac K-joints of double-chord square hollow sections 523

NOTES:

A. H. Anis, E. F. P. Burnett, and G. M. McNeice Finite element modelling of jointed structures 540

C. D. Smith Longitudinal bending strength of corrugated steel pipe 547

T. T. Lie New facility to determine fire resistance of columns 551

R. M. W. Frederking Ice action on Nanisivik wharf, Strathcona Sound, N.W.T., winter 1978–1979 558

DISCUSSIONS:

L. W. Gold Strain measurements in floating ice platforms and their application to platform design: Discussion 564

D. M. Masterson, K. G. Anderson, and A. G. Strandberg Strain measurements in floating ice platforms and their application to platform design: Reply 565

R. G. Sexsmith A statistical approach to traffic loading on highway bridges: Discussion 568

D. J. Harman and A. G. Davenport A statistical approach to traffic loading on highway bridges: Reply 569

Pierre Dumonteil Effective width of stiffened cold-formed steel plates: Discussion 570

BOOK REVIEW/CRITIQUE DE LIVRE:
George Smethurst Basic water treatment for application world-wide: Reviewed by P. S. Chisholm 571

DECEMBER/DECEMBRE

ARTICLES:
John S. Ellis Prestressed latticed beam–columns with offset diagonals 573

P. Dumonteil On the role of uncertainty in the limit states design of steel structures 588

Mahmoud El-Shimi, Robert White, and Paul Fazio Influence of façade geometry on weathering 597

J. S. Kennedy, D. J. Wilson, P. F. Adams, and M. Perlynn Effect of guy cable constraint on structural damping of open lattice antenna towers 614

Gilles G. Patry Analyse et dimensionnement des bassins d'équilibre par simulation continué 621

Harlan G. Kelly A design proposal for timber pile supported sewers 629

R. G. Redwood and S. C. Shrivastava Design recommendations for steel beams with web holes 642

NOTES:
D. A. Taylor and W. R. Schriever Unbalanced snow distributions for the design of arch-shaped roofs in Canada 651

Michael I. Gilmor Factored resistance of welded connections subject to shear and moment: Discussion 657

V. V. Neis Factored resistance of welded connections subject to shear and moment: Reply 658

R. L. Booth and D. A. Taylor Design of light industrial buildings: Discussion 660

Ivan Muzik The limitations and usefulness of streamflow generation methods: a case study: Discussion 661

W. J. Stolte The limitations and usefulness of streamflow generation methods: a case study: Reply 663

R. M. Schuster Carrying capacity of edge-compressed rectangular plates: Discussion 665

A. N. Sherbourne and H. M. Haydl Carrying capacity of edge-compressed rectangular plates: Reply 666

BOOK REVIEW/CRITIQUE DE LIVRE:
A. Ghali Circular storage tanks and silos: Reviewed by J. Schwaighofer 667

ERRATUM:
William James and Robert R. Hennessy Erratum: Power spectral analysis of a forcemain failure caused by waterhammer 668

Author Index for Volume 7/Index des auteurs pour Volume 7 AI-1

Contents for Volume 7/Sommaire pour Volume 7 iii